



Government of India  
Ministry of Commerce & Industry  
Petroleum & Explosives Safety Organisation (PESO)  
5th Floor, A-Block, CGO Complex, Seminary Hills,  
Nagpur - 440006

E-mail : [explosives@explosives.gov.in](mailto:explosives@explosives.gov.in)  
Phone/Fax No : 0712 -2510248, Fax-  
2510577

Approval No : A/P/HQ/MH/104/6685 (P492034)

Dated : 05/02/2021

To,

M/s. Cavotec Micro-control,  
AS Gevinglia 112, 7517 Hell,

**NORWAY**

**Sub :** Approval of Intrinsically Safe Type Equipments under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. **OIN693701** dated **18/01/2021** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **IEC 60079-0 : 2011, IEC 60079-11 : 2011**, standards and covered under **DNV GL Nemko Presafe AS** Test reports mentioned below is/are approved for use in **Zone 1** of Gas **IIB** hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Radio remote control terminal unit	Ex ia IIB T4/T3 Gb (For Terminals)	<b>P492034/1</b>	DNV GL Nemko Presafe AS	IECEX PRE 17.0038 Issue No. 0	14/11/2017	902807T2B Sheet 1-15 Rev B
2	Radio remote control terminal unit	[Ex ia Ga] IIB (For Radio module) Approved for installation in safe area only	<b>P492034/2</b>	DNV GL Nemko Presafe AS	IECEX PRE 17.0038 Issue No. 0	14/11/2017	902807T2B Sheet 1-15 Rev B

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the DNV GL Nemko Presafe AS Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-

- (a) Name of the manufacturer
- (b) Name and number by which the equipment is identified.
- (c) Number & date of the test report of the DNV GL Nemko Presafe AS applicable to the equipment.
- (d) Equipment reference number of this letter by which use of apparatus is approved.
- (e) Protection level.

4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the DNV GL Nemko Presafe AS Test report and is identical with the one tested and certified at DNV GL Nemko Presafe AS shall be furnished with each equipment.

5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by DNV GL Nemko Presafe AS in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.

6) The After sales service and maintenance of subject equipment shall be looked after by your representative Cavotec India Pvt Ltd, Unit – 901, 902, 903, 9th Floor, Lunkad Sky Vista, New Airport Road, Viman Nagar, Pune 411014

**Conditions of the Approval:-**

The component at Sr No. 2 is approved for installation in safe area (non hazardous zone) only.

The approval for above components is subject to validity of IECEx Quality Assessment Report No.

NO/NEM/QAR08.0002

This approval also covers the permissible variations as approved under the DNV GL Nemko Presafe AS test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto **31/12/2025**

Yours faithfully,

**(Ninad Dattaram Gawade)**  
**Dy. Controller of Explosives**  
**For Chief Controller of Explosives**  
**Nagpur**

Copy to :

- 1. Jt. Chief Controller of Explosives, West Circle, MUMBAI
- 2. Cavotec India Pvt Ltd, Unit – 901, 902, 903, 9th Floor, Lunkad Sky Vista, New Airport Road, Viman Nagar, Pune 411014

**for Chief Controller of Explosives**  
**Nagpur**

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

**This is System Generated document. Signature is not required.**